
schaerer® axis





MOBILE OPERATING TABLES
FOR ALL SURGICAL APPLICATIONS





Medical products and solutions made in Switzerland

Schaerer Medical AG as a traditional Swiss company is a worldwide leading manufacturer of mobile operating tables, medical accessories and custom made accessories for all surgical disciplines and fields of application.

Since 1892 Schaerer Medical has been developing high-grade operation tables, manufacturing them exclusively in Switzerland.

As a medium-sized manufacturer we can react flexibly and quickly to special customer requirements, being able to provide individual solutions for all fields of application.

A worldwide network of distributors and service-partners in over 75 countries guarantees the worldwide distribution as well as a first class service on site.

Schaerer Medical continuously invests in innovative products, which are developed in close collaboration with leading surgeons and medical personalities. Schaerer products are known all over the world and stand for maximum precision, processing quality and a long service life.




schaerer® axis

The **schaerer®** axis **400-800** model range is the most successful product line in over 100 years of Schaerer Medical's history.

Every day several thousand schaerer® axis operating tables are used reliably all over the world, supporting your work in the operating theatre.

You will receive an operating table that has already proved its capabilities thousands of times and even today is one of the most used tables in the world because of its **unique eccentric column**.

The proven reliability of the schaerer® axis 400-800 series, associated with their outstanding flexibility and their uniquely functional design, are good reasons for many hospitals around the globe to opt for a schaerer® axis table time and time again.



schaerer° axis Mobile operating tables and operating systems for all surgical disciplines and applications

MAXIMUM ECCENTRIC COLUMN

Maximum access for the surgeon, nurses and technicians without additional longitudinal shifting even where space is limited. Table top area offside the column up to 1990 mm and X-ray transparent table top area (up to 1900 x 370 mm).

NEW: VISCO-ELASTIC PADS

New durable oil free visco elastic padding (69 mm) for all table top sections and most of the accessories. Reduces pressure up to 50 % versus standard foam for perfect comfort and safety.

MAXIMUM STABILITY


The use of high quality Swiss materials and components ensures strength and a long service life. 220 kg/485 lbs all position dynamic weight capacity.

MAXIMUM SAFETY

Only Schaerer operating tables have two independent motor pump systems that can work powered by batteries for several operating days.



E-schaerermedical®





Hand control: ergonomically shaped, clearly arranged keypad and LCD display of all important functions.



Emergency operating panel: the second control system can be activated through the integrated emergency operating panel.

schaerer® axis

Mobile operating tables and operating systems for all surgical disciplines and applications

MODELS





The universal table with one electro-hydraulically driven table top movement for the seat plate. Removable, two-part seat plate bars for fitting orthopaedic accessories in the basic or reverse position (beach chair). Manually adjustable head and leg plates supported by gas pressure springs. Universal for all accessories, including extension devices and the schaerer® MIS-Extension. X-ray transparency 1450 mm.





schaerer® axis 700


The ortho-trauma table with one electro-hydraulically driven table top movement. Specially for orthopaedic and trauma accessories (Extension devices, schaerer® MIS-Extension). schaerer® axis 500 basic unit (without seat and leg plates).

schaerer® axis 800

The premium table with a 1990 mm table top from the column, for maximum accessibility in basic and reverse position. 2 electro-hydraulically driven table top axes for seat plate and leg plate. Reverse position: automatically adjustable back or head plate. Extended movement range of the relevant plate 85°/105°. Adjustable accessories such as leg holder and shoulder arthroscopy plate. Best for neurosurgery and ENT operations through the unobstructed access to the operating field.



Product characteristics





91490

Head rest standard for schaerer® axis 400-700 With side rails 25 x 10 mm.

91480

Head rest standard for schaerer® axis 400-700 With side rails 30 x 10 mm.

Tilting up and down. With pad 69 mm. Dimensions pad: $380 \times 520 \times 69$ mm. Continuous adjustment with gas-lift spring assistance.



91491

Leg plates 2-part for schaerer® axis 400-700 With side rails 25×10 mm.

9148

Leg plates 2-part for schaerer® axis 400-700

With side rails $30 \times 10 \text{ mm}$.

With pad 69 mm. Dimensions pad: $380 \times 520 \times 69$ mm. Equipped with hexagonal adapter for attaching hexagonal head rest holders 90040 or 90041 with adapter 90456.




90900 Head rest rigid, short version for schaerer® axis 400-700 With side rails 25 x 10 mm.

90901 Head rest rigid, short version for schaerer® axis 400-700

With side rails 30 x 10 mm.

With pad 69 mm. Dimensions pad: 200 x 520 x 69 mm. Equipped with hexagonal adapter for attaching hexagonal head rest holders 90040 or 90041 with adapter 90456.

Product characteristics





91495

Leg plates 2-part for schaerer® axis 400-700 With side rails 25 x 10 mm.

91485

Leg plates 2-part for schaerer® axis 400-700 With side rails 30 x 10 mm.

Standard leg plate consisting of 2 small and 2 large leg plate pads (69 mm). Tilting up and down with gas-lift spring assistance. Swivelling outwards.

Dimensions: 725 x 250 x 170 mm.




91496

Leg plates 2-part for schaerer® axis 400-700 With side rails $25 \times 10 \text{ mm}$.

91486

Leg plates 2-part for schaerer® axis 400-700 With side rails 30 x 10 mm.

Leg plates, consisting of 2 small and 2 large leg plate pads (69 mm). Small pads in triangular shape. Tilting up and down with gas-lift spring assistance. Swivelling outwards. Dimensions: 725 x 250 x 170 mm.



90917

Leg plates simple, 2-part for schaerer® axis With side rails 25 x 10 mm.

90918

Leg plates simple, 2-part for schaerer® axis With side rails 30×10 mm.

Consisting of 2 leg plate pads. Not swivable. Manually tilting up and down. Lockable with denticulated clamp joint.

Maximum free space for C-arm utilisation in the basic position



Maximum free space for C-arm utilisation in the reverse position



Reverse position (maximum position) thereof 1900 x 370 mm X-ray transparent 1990 mm table top off the column with schaerer® axis 800

General Surgery



Cholescystectomy positioning table top from the column 1600 mm, thereof 1450 mm X-ray transparent (schaerer® axis 400/500/600)



Positioning for hand surgery with hand surgery table without floor support



Rectum positioning

Gynaecology/Urology



Laparoscopic interventions with «Great white platinum stirrups» and intermediate plate.




Gynaecological and urological intervention with leg plates «LEG-TOP» for flat and lithotomic positions



Lateral positioning for nephrectomy and posterio-lateral spinal column surgery

Neuro Surgery





Intervention in supine position in reverse position with original DORO® accessories (aluminium) and universal adapter



Spine intervention in prone position with SchureSpine Frame.

Shoulder Surgery





Intervention on the shoulder in reverse position schaerer® axis 500/700 with orthopaedic seat plate



Intervention in the head and cervical area in reverse position with shoulder arthroscopy plate and facial/occipital head rest

Orthopaedic and Traumatological Surgery schaerer® MIS-Extension



schaerer® MIS-Extension-orthopaedic-traumatologic support and positioning system with extension device offering full freedom of movement for the lower extremity. Can be operated with one hand only. Specially developed for minimally invasive surgery and hip arthroscopy with perioperative positioning and gamma-nailing.



Orthopaedic and Traumatological Surgery schaerer® MIS-Extension



The trolley assures the correct storage of the system and of the necessary accessories. The schaerer® MIS-Extension can easily be attached to the operating tables schaerer® axis 500/700 (or schaerer® arcus 501/701) by using the trolley.

Orthopaedic and Traumatological Surgery





IM tibia nailing



Femur neck nailing with orthopaedic accessories, leg plate with extension



Accessories for Orthopaedic and Traumatological Surgery

The clearly arranged accessories enable interventions for thigh, lower leg and intra-medullary nailing.

A special orthopaedic-traumatological operating table is not necessary.

Attachable to the models schaerer® axis 500/700 (and schaerer® arcus 501/701).



1 Traction bars, for femur, metal (1 pair) or: Traction bar, for femur, metal (1 piece) or: Traction bar ADVANCED, for femur, carbon-fibre with: Multiple fixing clamp for traction bar ADVANC	90183 90182 90974 ED 90978
2 Seat plate OTZ for axis with pad 51 mm	90919
3 Leg plates OTZ (1 pair) for side rails 25 x 10 mm for side rails 30 x 10 mm	90410 90409
4 Leg holder «Goepel» with pad and Velcro fastener Radial setting clamp	90330 90506
5 Accessories trolley OTZ for side rails 25 x 10 mm for side rails 30 x 10 mm	90429 90430
6 Telescopic supports	90193
7 Extension shoes (1 pair)	90191
8 Counter-traction holder with pad	90187



9 Traction unit OTZ (order 2 pieces)	90184
10 Leg holder OTZ with pad 90199	/90200
11 Side rail extension for side rails 25 x 10 mm for side rails 30 x 10 mm	81696 81695
12 Horse-shoe holder «Kirschner»	90198
13 Holder for leg holder «Goepel» for side rails 25 x 10 mm for side rails 30 x 10 mm	90190 90189
14 Perineal rod with pad Holder/lateral	90195 90194
15 Traction bar, for tibia with pad	90186
16 Table extension for axis with pad 69 mm	90939
17 Packaging for OTZ accessories trolley (without picture)	91289
18 Adapter for extension shoe MIS (without picture)	90196


Product characteristics


schaerer® axis	400	500	600	700	800	unit
Table top outside of the column/thereof X-ray transparent	1600/1450	1600/1450	1600/1450	_	1990/1900 78.3/74.8	mm/inch
	63.0/57.1	63.0/57.1	63.0/57.1	_		
Weight without head and leg plates	280/617	284/626	292/642	271/596	304/669	kg/lbs
Length without head and leg plates	865/34.1	865/34.1	865/34.1	485/19.1	1030/40.6	mm/inch
Length with head and leg plates	1997/78.6	1997/78.6	1997/78.6	_	1960/77.2	mm/inch
Width of table top	520/20.5	520/20.5	520/20.5	520/20.5	520/20.5	mm/inch
Total width (with side rails)	580/22.8	580/22.8	580/22.8	580/22.8	580/22.8	mm/inch
Maximum patient weight (all positions)**	220/485	220/485	220/485	220/485	180/397	kg/lbs
Maximum patient weight (static)*	350/771	350/771	350/771	350/771	350/771	kg/lbs
Height adjustment without pad (locked table)	686-1092 27-43	686-1092 27-43	686-1092 27-43	686-1092 27-43	689-1095 27.12-43.11	mm inch
Trendelenburg/Reverse Trendelenburg	28/28	28/28	28/28	28/28	28/28	degree
Lateral tilting right/left	18	18	18	18	18	degree
Seat plate up	76	76	76	76	28	degree
Seat plate down	40	40	40	40	40	degree
Motorised leg plate up (basis position)	_	_	15	_	80	degree
Motorised leg plate down (basis position)	_	_	70	_	105	degree


 $^{^{\}ast}$ standard configuration, static mode, lowest position ** all positions, dynamic mode




Product dimensions













Standard position








Leg plate





schaerer® axis 400 - 800 Lateral tilt left/right

Technical data

Technical data:

Electrical mains connection 100-120 / 200-240 V AC, 50-60 HZ Control voltage 24 V DC

Battery charging time: 6 - 8 hours

Battery capacity: depending on the operations up to 5 days 4 maintenance-free special batteries with charge indication

on the display of the hand control

7 section table top

Side rail dimensions 25 x 10 mm or 30 x 10 mm

Weight: 300 kg / 661.4 lbs

Electro-hydraulic:

Height adjustment up / down
Trendelenburg / Reverse Trendelenburg
Lateral tilt left / right
Seat plate up / down
Leg plate up / down
(schaerer® axis 600 and 800 Basic-Position)

Head plate up / down

(schaerer® axis 600 and 800 Reverse-Position)

Flex / Reflex Zero position

Manual:

Head plate up/down Leg plate up/down Leg plates swivelling out

Due to non avoidable techical tolerances all numbers can differ +/- 3-5%

Subject to modifications

C € accoding to MDD 93/42/EEC

Notes

E-schaerermedical®

lotes	



Schaerer Medical AG

Erlenauweg 17 CH-3110 Münsingen Tel. +41 31 720 22 00 Fax +41 31 720 22 30 info@schaerermedical.ch www.schaerermedical.ch

Schaerer Medical USA Inc.

675 Wilmer Ave Cincinnati, OH 45226 Tel. +1 513 561 2241 Fax +1 513 561 0195 info@schaerermedicalusa.com www.schaerermedicalusa.com